

Fratta, Joseph C.

60352

From: Warren, Kiara
Sent: Friday, September 30, 2016 3:11 PM
To: Fratta, Joseph C.
Subject: FW: FOIL Requests

H2T

From: Foser, Susan
Sent: Friday, September 30, 2016 3:08 PM
To: Bellucci, Amalia; Laemlein, Jennifer K.; Newton, Trevor; Warren, Kiara
Subject: FOIL Requests

There is nothing on file in the Haz Mat Office for the following FOIL Requests:

FOIL #60350, 09/30/16 710 – 712 Jay St.

FOIL #60351, 09/30/16 835 – 855 W. Main St. AKA Bullhead Plaza

FOIL #60352, 09/30/16 810 – 846 N. Goodman St. AKA Goodman Plaza; 21 Ackerman St.

Susan Foser
Clerk II, Typing
Rochester Fire Dept.
185 N. Chestnut Street
Rochester, NY 14604

585-428-7381 Office
585-428-6183
susan.foser@cityofrochester.gov

Popolizio, Margaret

60352

From: Warren, Kiara
Sent: Friday, September 30, 2016 2:49 PM
To: Cioppa, Geraldine M.; Brawn, Vicki L.; Foser, Susan; Popolizio, Margaret
Cc: Laemlein, Jennifer K.
Subject: Ref #60352 - Request for Resolution (COM Freedom of Information System)

Free Rely

IMPORTANT: This is a Freedom of Information request. Per requirements of the Freedom of information Law, please respond within 5 business days. If you are unable to respond within 5 business days, please provide an approximate date by which you may be able to provide resolution.

>>> REFERENCE# 60352 (Date Received 9/30/2016 2:40:06 PM) <<<

REQUESTOR: Greg Feltes

PHONE: 381-1500

ORGANIZATION: The Cabot Group

ADDRESS: 130 Linden Oaks

REQUEST DESCRIPTION: 810-846 North Goodman St aka Goodman Plaza and 21 Ackerman Street: tanks, permits, spills, HazMats, fires, incidents, environmental.

NOTE: This ref number is for a new request.

No call to 21 Ackerman St

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8103476	5/02/81	40	810 GOODMAN	ST N
8107873	10/03/81	13	810 GOODMAN	ST N ELECTRICAL MOTOR FIRE E-9, T-9, B-1 HANDLED - MANAGER OF BUSINESS ON THE SCENE. DRYER MOTOR.
8502434	3/26/85	11	810 GOODMAN	ST N CUSTOMER ACTIVATED DRY POWDER EXTINGUISHING SYSTEM WHEN FLAREUP OCCURRED. OUT ON ARRIVAL. SEE REPORT.
8705545	6/09/87	69	810 GOODMAN	ST N MAN INTOXICATED, SENT HOME. 87160/1023
8709610	9/30/87	45	810 GOODMAN	ST N AUTO BACK FIRE
9002611	3/16/90	32	810 GOODMAN	ST N INFANT CHOCKING, NATIONAL RELEASED MD7.

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9003324	4/06/90	31	814 GOODMAN	ST N ASSIST AMBULANCE WITH LIFTING AT THE SCENE OF AN MVA.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
8008339	10/18/80	38	826 GOODMAN	ST N ALARM SYSTEM ACTIVATED - NO CAUSE FOUND.	
8202246	3/20/82	33	826 GOODMAN	ST N WORKMEN ACCIDENTALLY TRIPPED THE ALARM.	
8509501	11/08/85	59	826 GOODMAN	ST N WENT ON BROKEN WINDOW CALL. CANCELLED BY POLICE.	
8601408	2/18/86	71	826 GOODMAN	ST N CODE 3.	86049/1358
8702732	3/26/87	14	826 GOODMAN	ST N CAR 92 TOOK REPORT. STOLEN CAR	87085/1494
9507447	6/10/95	66	826 GOODMAN	ST N PERSON PASSED OUT AT GOODMAN PLAZA. PERSON LEFT SCENE BEFORE FD ARRIVE D.	

SPECIFIC ADDRESS

	INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
	8504735	6/08/85		21	830 GOODMAN	ST N STEAM FROM RADIATOR.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0006815	4/05/00	41	836 GOODMAN	ST N CALL FOR FUMES IN STRUCTURE FIND EMPTY GAS CAN
0007425	4/13/00	16	836 GOODMAN	ST N RUBBISH BURNING IN PLAZA
0007426	4/14/00	16	836 GOODMAN	ST N DUMPSTER FIRE EXITING BY FD
0007545	4/15/00	31	836 GOODMAN	ST N EMS NO PT CONTACT
0012139	6/14/00	32	836 GOODMAN	ST N EMS FOR HEAT EMERGENCY PCR 42706952
0013708	7/06/00	16	836 GOODMAN	ST N DUMPSTER SMOLDERING BEHIND FAMILY DOLLAR STORE REPORTED BY R HUMPHREY _ DUMPSTER OWNED BY UPSTATE DISPOSAL
0013758	7/05/00	41	836 GOODMAN	ST N FD SPREAD ABSORBENT OVE APPROXIMATELY 4 GALLONS OF GASOLINE
0015007	7/21/00	15	836 GOODMAN	ST N GRASS FIRE
0019864	9/23/00	31	836 GOODMAN	ST N EMS TROUBLE BREATHING.
0024299	11/24/00	73	836 GOODMAN	ST N ACCIDENTAL TRIP, NO CAUSE.
0024398	11/26/00	41	836 GOODMAN	ST N UNKNOWN TYPE FUMES, RGE TO HANDLE.
0102207	2/02/01	61	836 GOODMAN	ST N CHECK DAMAGE FOR VEH INTO BLDG, NONE FOUND.
0104739	3/09/01	32	836 GOODMAN	ST N PCR 05008312.
0105673	3/23/01	32	836 GOODMAN	ST N EMS - MAN ON SIDEWALK. PCR #05008289.
0106292	4/01/01	71	836 GOODMAN	ST N CHILD CALLER.
0108861	5/05/01	16	836 GOODMAN	ST N DUMPSTER FIRE/PLASTIC DOORS DAMAGED.
0110955	6/03/01	71	836 GOODMAN	ST N DISPATCHERS FALSE CALL.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0113424	7/04/01	31	836 GOODMAN	ST N PERSON FEELING SUICIDAL. RFD WAVED OFF BY R/M.
0114695	7/21/01	16	836 GOODMAN	ST N PILE OF RUBBISH AND TRASH IN LOT ON FIRE.
0115565	8/02/01	14	836 GOODMAN	ST N VEH. FIRE. FOUND CAR FULLY INVOLVED. EXTINGUISHED FIRE. SCENE TURNED OVER TO FI AND RPD. CONFINED TO OB
0115717	8/04/01	19	836 GOODMAN	ST N UNIDENT. PERSON IGNITED A PLASTIC GARBAGE TOTE IN WEST BAY OF SHELF-SVC . CARWASH.NO STRUC. DMG SEE REPT
0117001	8/21/01	14	836 GOODMAN	ST N STRIPPED/ABANDONED VEH. ON FIRE. OEC REQUESTED TO HAVE VEH. TOWED IN A .M.
0118847	9/15/01	53	836 GOODMAN	ST N COMPLAINT OF ODOR IN BACK ROOM OF CHESTER CHECK CASHING. FOUND NO CRIM E.
0125337	12/08/01	53	836 GOODMAN	ST N SMOKE FROM WASHER, BAD BELT IN WASHER, RFD REMOVED BELT.
0126009	12/18/01	71	836 GOODMAN	ST N CHILD CALLER FROM PAY PHONE REPORTING FIRE, 2 CHILD SUSPECTS FLIED AREA ON OUR ARRIVAL.
0126659	12/28/01	41	836 GOODMAN	ST N NAT GAS ODOR, NO READINGS FOUND, RGEE O/S TO INVESTIGATE FURTHER, 501 WRITTEN FOR LG FILES OF COMBUST.
0204491	3/03/02	11	836 GOODMAN	ST N POSSIBLE LINT BUILD UP, GAS AND ELECTRIC TO UNLTS SHUT DOWN BY RFD, CO NFINED TO OBJECT OF ORIGIN.
0207893	4/20/02	71	836 GOODMAN	ST N FALSE CALL FROM PAY PHONE.
0208818	5/04/02	32	836 GOODMAN	ST N EMS, PCR #05053256.
0209349	5/11/02	32	836 GOODMAN	ST N EMS, PCR #05053254.
0210846	5/31/02	11	836 GOODMAN	ST N PAPER SET ON FIRE INSIDE COIN MACH MECHANISM, POSS SET BY CHILDREN, C9 4/98 RESPONDED FOR INVESTIGATION.
0212022	6/15/02	29	836 GOODMAN	ST N CAR OVER HEATED DUE TO NO ANTIFREEZE.
0212753	6/23/02	71	836 GOODMAN	ST N CHILD CALLER FROM PAY PHONE, NO ONE AT PHONE.
0213265	6/29/02	46	836 GOODMAN	ST N 2 CAR MVA, AMB HANDLED PT CARE.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0214839	7/19/02	32	836 GOODMAN	ST N 38YOM STATED HE WAS WORKED UP AFTER BEING CHASED BY 2 MEN, JUST WANTED RPD, REFUSED MEDICAL TREATMENT.
0214868	7/19/02	32	836 GOODMAN	ST N RESPONDED EMS TO A 2 CAR MVA, CONTROLLED BLEEDING, COLLAR AND BACKBOARD DED 2 PTS.
0216412	8/07/02	32	836 GOODMAN	ST N NO PT CONTACT.
0216729	8/12/02	46	836 GOODMAN	ST N MVA, CAR INTO POLE, 2 INJURIES.
0216856	8/13/02	32	836 GOODMAN	ST N EMS, BICYCLE STRUCK CAR, PT TO BE TRANSPORTED BY FATHER.
0217288	8/19/02	46	836 GOODMAN	ST N AUTO DRIVEN INTO BLDG, DMG TO BLDG CONNECTED TO STEEL GATE & ALUM ENTR ANCE, NO STRUC DMG, RPD ARRG TOW.
0218838	9/09/02	31	836 GOODMAN	ST N EMS, STABBING, AMB AT PT LOC WITH Q/M7, NO RFD PT CONTACT.
0222522	10/29/02	55	836 GOODMAN	ST N COVERED 6FTX3FT WINDOW AT RPD REQUEST, CLEANED UP BROKEN GLASS IN WALK WAY.
0222892	11/03/02	31	836 GOODMAN	ST N DISPATCHED FOR PREGNANCY, NO PT CONTACT, AMB TO HANDLE.
0223131	11/06/02	32	836 GOODMAN	ST N EMS FOR 18YOF, PCR #05068700.
0223834	11/15/02	31	836 GOODMAN	ST N 5YO RAN INTO MOVING CAR, AMB TRANSPORTED.
0224882	11/30/02	41	836 GOODMAN	ST N NAT GAS LEAK FROM STOVE, RGEE TO HANDLE WITH STORE OWNER UNHUI PINKER.
0226501	12/23/02	55	836 GOODMAN	ST N USE A LADDER TO RETRIEVE A GUN.
0303804	2/18/03	41	836 GOODMAN	ST N SMELL FROM THE ROOF HEATER, NO READINGS ON GAS TRAC.
0306184	3/22/03	32	836 GOODMAN	ST N EMS, MAN AT PHONE BOOTH SMOKED TOO MUCH "COKE", R/M HANDLED.
0307715	4/06/03	14	836 GOODMAN	ST N AUTO FIRE, C94/98 RESPONDED.
0309541	4/27/03	16	836 GOODMAN	ST N APPROX ONE GALLON OF MOTOR OIL EXTINGUISHED BY RFD.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
0309967	5/03/03	71	836 GOODMAN	ST N DISPATCHERS FALSE CALL AT GOODMAN PLAZA, STRUCTURE FIRE, NO ONE AT PAY PHONE, NO FIRE.	
0315274	7/07/03	53	836 GOODMAN	ST N CAR BURNING OFF OIL THAT OVERFLOWED, OWNER OVER FILLED OIL, NO FIRE.	
0316253	7/18/03	41	836 GOODMAN	ST N FLUSH APPROX 4 TO 5 GALLONS OF GASOLINE.	
0317834	8/06/03	41	836 GOODMAN	ST N SMALL MOTOR OIL LEAK, SIDE OF BLDG, APPLIED ABSORBALL.	
0318225	8/11/03	16	836 GOODMAN	ST N DUMPSTER FIRE.	
0318698	8/15/03	16	836 GOODMAN	ST N COUCH IN VACANT LOT ON FIRE, NO WITNESSES OR SUSPECTS.	
0320085	9/01/03	16	836 GOODMAN	ST N COUCH FIRE.	
0320894	9/12/03	44	836 GOODMAN	ST N WIRES DOWN, SECURED, RGE NOTIFIED.	
0321350	9/17/03	32	836 GOODMAN	ST N EMS 65 YO INTOX, WOULD NOT LET M07 APPROACH HIM, R/M HANDLED.	
0322067	9/26/03	32	836 GOODMAN	ST N EMS FOR CHEST PAINS & TROUBLE BREATHING.	
0405632	3/08/04	32	836 GOODMAN	ST N EMS NO PT CONTACT.	
0406927	3/26/04	73	836 GOODMAN	ST N FALSE TRIP, SYSTEM RESET BY EMPLOYEES.	
0408333	4/16/04	53	836 GOODMAN	ST N SMOKE IN AREA, NOTHING FOUND.	
0411292	5/23/04	53	836 GOODMAN	ST N RESP FOR SMOKE IN AREA, FOUND TO BE FROM CAR FIRE IN AREA HANDLED BY AN OTHER RFD ASSIGNMENT.	
0413967	6/25/04	33	836 GOODMAN	ST N ASSIST R/M WITH FORCED ENTRY.	
0414839	7/06/04	91	836 GOODMAN	ST N COMPLAINT ABOUT INSULATION IN DUMPSTER, OWNER TOLD TO REMOVE.	
0415206	7/11/04	71	836 GOODMAN	ST N FALSE CALL.	

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
0419508	9/03/04	14	836 GOODMAN	ST N AUTO FIRE, ENG CMPT, OUT ON ARRIVAL.	
0421460	9/24/04	46	836 GOODMAN	ST N MVA, CHECK FOR INJURIES, R/M AND RPD TO HANDLE.	
0421899	9/30/04	46	836 GOODMAN	ST N MVA AUTO VS BIKE, NO PT CONTACT, R/M AND RPD HANDLED.	
0422117	10/03/04	71	836 GOODMAN	ST N FALSE CALL.	
0422215	10/04/04	46	836 GOODMAN	ST N MINOR MVA, NO INJ, POLICE TO HANDLE.	
0425263	11/12/04	32	836 GOODMAN	ST N EMS, PCR #05107208.	
0426781	12/03/04	51	836 GOODMAN	ST N PERSON LOCKED OUT OF THEIR CAR.	
0427356	12/11/04	41	836 GOODMAN	ST N GAS LEAK AT THE REAR OF CHINESE RESTAURANT, RG&E TO HANDLE.	
0428332	12/23/04	33	836 GOODMAN	ST N FOUND DAMAGED LOCK IN LAUNDROMAT, SEVERAL PATRONS TRAPPED INSIDE, PULLE D LOCK CYLINDER, OWNER CONTACTED.	
0508096	4/16/05	32	836 GOODMAN	ST N EMS FOR ONE CAR MVA, CAR INTO TREE, 1 PT TRANSPORTED.	
0508478	4/21/05	71	836 GOODMAN	ST N FALSE CALL FOR BLDG FIRE, NOTHING FOUND.	
0510021	5/13/05	16	836 GOODMAN	ST N DUMPSTER FIRE REAR OF GOODMAN PLAZA.	
0513859	6/29/05	32	836 GOODMAN	ST N EMS FOR UNRESPONSIVE PERSON, PT CONSCIOUS UPON ARRIVAL.	
0514138	7/02/05	51	836 GOODMAN	ST N MOTHER OPENED DOOR WITH KEY, POLICE TO TAKE CARE.	
0514235	7/03/05	71	836 GOODMAN	ST N REPORT OF SOMEONE SHOT, FALSE CALL.	
0514903	7/11/05	46	836 GOODMAN	ST N REPORT OF AN MVA, NOTHING FOUND IN THE AREA.	
0518051	8/17/05	11	836 GOODMAN	ST N EXPOSURE FIRE FROM CAR FIRE INSIDE VAC CAR WASH BLDG, EXTENSIVE DMG TO PASS CMPT, RPD O/S, PROP OWNER O/S.	

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
0518161	8/18/05	32	836 GOODMAN	ST N EMS , PEDESTRIAN STRUCK.
0519311	9/01/05	61	836 GOODMAN	ST N REPORT OF YOUTHS STARTING FIRES IN REAR OF PLAZA, NOTHING FOUND.
0521704	10/01/05	46	836 GOODMAN	ST N CAR RAN OVER CURB, DMGD UNDER CARRIAGE CAUSING OIL LEAK, APPLIED ABSORB AL, REP & R/M HANDLING OCCS OF CAR
0525619	11/20/05	53	836 GOODMAN	ST N SMOKE FROM RESTAURANT GOING INTO ADJACENT BUSINESS D/T RESTAURANT NOT USING EXHAUST FAN, ORDER FAN ON.
0526183	11/28/05	55	836 GOODMAN	ST N HELP RPD WITH LADDERS .
0526219	11/29/05	53	836 GOODMAN	ST N GREASE BUILD UP AROUND FRYER CRUISING SMOKE AND A FLASH FLAME, NO DMC, CA R 30 TO FOLLOW UP.
8000628	1/27/80	39	836 GOODMAN	ST N BROKEN WINDOW - COVERED WITH PLASTIC.
8000672	1/29/80	39	836 GOODMAN	ST N DEFECTIVE UNIT HEATER.
8002170	3/27/80	24	836 GOODMAN	ST N SENT FOR DUMPSTER FIRE
8002628	4/12/80	39	836 GOODMAN	ST N COVER BROKEN WINDOW.
8003798	5/23/80	39	836 GOODMAN	ST N OVERHEATED DEEP OIL COOKER.
8005118	7/04/80	22	836 GOODMAN	ST N DUMPSTER FIRE.
8100229	1/07/81	34	836 GOODMAN	ST N COVERED BROKEN WINDOW WITH TAPE AND PLASTIC.
8100974	2/05/81	14	836 GOODMAN	ST N OUT UPON ARRIVAL - DISCONNECTED.
8100976	2/05/81	14	836 GOODMAN	ST N CODE 8 INSIDE-SHUT OFF ALL ELECTRICITY EXCEPT FURNACE. MULTIPLE LIGHT BALLASTS OVERHEATING.
8102391	3/28/81	37	836 GOODMAN	ST N STOOD BY OIL SPILL UNTIL POLICE CAME.
8103469	5/02/81	35	836 GOODMAN	ST N ODOR OF BLEACH IN LAUNDRY.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8103514	5/03/81	22	836 GOODMAN	ST N DUMPSTER.
8104163	5/25/81	40	836 GOODMAN	ST N CODE 3.
8104619	6/10/81	22	836 GOODMAN	ST N TWO DUMPSTERS.
8105900	7/25/81	13	836 GOODMAN	ST N FIRE INVESTIGATORS R. NUGENT AND LT. MURPHY AT SCENE. FLOOR, WOOD RAFTERS, FRAMING, CLOTHING.
8105928	7/26/81	34	836 GOODMAN	ST N CALLED TO COVER WINDOW TAKEN OUT DURING 2-2-2 ON 7-25-81 @ VOLUNTEERS OF AMERICA. GLASSMAN ON SCENE.
8105988	7/28/81	13	836 GOODMAN	ST N RUBBISH FIRE IN ENCLOSED AREA OF FIRE RESISTIVE CONSTR. AT REAR OF RITE-AID DRUG STORE. SEE DETAILS.
8106887	8/28/81	13	836 GOODMAN	ST N LIGHT BALLAST-CAR 53, CAR 5, CAR 91-ON SCENE. DANGEROUS CONDITION TO PUB-LIC. SEE REPORT DETAILS.
8107716	9/26/81	22	836 GOODMAN	ST N DUMPSTER FIRE, RUBBISH.
8107746	9/27/81	22	836 GOODMAN	ST N RUBBISH.
8200274	1/11/82	21	836 GOODMAN	ST N INTERIOR OF CAR
8201022	2/01/82	34	836 GOODMAN	ST N DBA GOODMAN DISCOUNT FURNITURE, PROTECTIVES CALLED FOR T-09.
8202233	3/19/82	22	836 GOODMAN	ST N RUBBISH FIRE IN BACK OF GOODMAN PLAZA.
8204020	5/17/82	32	836 GOODMAN	ST N P. ACCORSO, CPR.
8205168	6/21/82	22	836 GOODMAN	ST N
8205527	7/02/82	32	836 GOODMAN	ST N OXYGEN, CODE 9 AMBULANCE 1545.
8208362	10/02/82	39	836 GOODMAN	ST N REPORT OF ODOR OF SMOKE IN BLDG. -UNABLE TO FIND ANYTHING.
8210150	12/03/82	22	836 GOODMAN	ST N DUMPSTER FIRE.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8210430	12/14/82	34	836 GOODMAN	ST N T'S AND THINGS, STORE NO. 9 TARP OVER BROKEN WINDOW.
8210683	12/24/82	34	836 GOODMAN	ST N BROKEN WINDOW. CODE 2 RUN.
8210732	12/26/82	34	836 GOODMAN	ST N BROKEN WINDOW.
8210838	12/30/82	22	836 GOODMAN	ST N FIRE IN LOAD OF RUBBISH DUMPED FROM GARBAGE DISPOSAL TRUCK ONTO BLACK-TOP OF PARKING LOT. BESTWAY DISP.
8301327	2/16/83	14	836 GOODMAN	ST N AUTO WAS STRIPPED OF SEATS - FIRE INVOLVED INTERIOR CARPETING, TRUNK AREA AND WIRING. SEE DETAILS.
8301430	2/20/83	59	836 GOODMAN	ST N VANDALS TOSS A 55 GALLON DRUM THROUGH PLATE GLASS WINDOW. CALLED PRO-TECTIVES FOR ASSISTANCE. DETAILS.
8301594	2/26/83	16	836 GOODMAN	ST N DUMPSTER.
8302427	3/27/83	14	836 GOODMAN	ST N DUMPSTER FIRE.
8303032	4/16/83	11	836 GOODMAN	ST N ENTIRE STORE-J.TAILLE OF A-1, GR2 SENT TO GENERAL VIA MONROE. CARS 9, 92 AT SCENE OF 3-3-3. SEE DETAILS.
8303042	4/16/83	14	836 GOODMAN	ST N ENGINE AREA.
8303046	4/17/83	16	836 GOODMAN	ST N RUBBISH FROM A PREVIOUS FIRE.
8303068	4/17/83	16	836 GOODMAN	ST N RUBBISH FROM A PREVIOUS FIRE.
8303263	4/25/83	59	836 GOODMAN	ST N ASSIST CAR 9 AT SCENE OF 2-2-2 FIRE, BELLS MARKET, INVESTIGATION.
8303265	4/25/83	55	836 GOODMAN	ST N FLUSHED DEBRIS FROM EVIDENCE AT SCENE OF BELLS FIRE BY REQUEST OF FIRE INVESTIGATION.
8303645	5/09/83	35	836 GOODMAN	ST N CAMPY CAECI, AGE 40 WORKING FOR SIGIGALLI WRECKING CO. -WALL FELL ON HIM DURING WRECKING OF BUILDING.
8303845	5/15/83	52	836 GOODMAN	ST N BROKEN WATER MAIN, DUE TO DEMOLITION AS RESULT OF A FIRE, REFERRED TO WATER WORKS, PIPE UNDERGROUND.
8304384	6/03/83	55	836 GOODMAN	ST N

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8306235	7/27/83	59	836 GOODMAN	ST N BROKEN WINDOW IN T-SHIRT GAME ROOM.
8306812	8/15/83	31	836 GOODMAN	ST N SEIZURE, CODE 9 AMBULANCE 1545.
8309516	11/10/83	52	836 GOODMAN	ST N
8310377	12/14/83	61	836 GOODMAN	ST N REPORT OF CHILD FALLING IN HOLE-ACTUALLY CHILD STEPPING IN PUDDLE AND
8400006	1/01/84	31	836 GOODMAN	ST N MONROE C-9 0146 HOURS
8400105	1/04/84	53	836 GOODMAN	ST N UNKNOWN ACRID SPRAY PROJECTED INTO ATMOSPHERE BY UNKNOWN CITIZEN-BUILDING VENTILATED
8402274	3/25/84	16	836 GOODMAN	ST N RUBBISH CAN
8403299	4/30/84	31	836 GOODMAN	ST N K.WATSON, AGE 17-HEAD INJURY-MADE COMFORTABLE UNTIL MONROE ARRIVED
8404139	5/26/84	16	836 GOODMAN	ST N
8404315	6/02/84	25	836 GOODMAN	ST N OVERHEATED BURNED OUT MOTOR ON DRYER-USED CO2 TO COOL
8406310	8/05/84	56	836 GOODMAN	ST N DUMPSTER
8408448	10/18/84	31	836 GOODMAN	ST N FIRST AID - CHRIS SPAIN - AGE 7 - NO ADDRESS - HIT BY CAR - MONROE AT 1734.
8410467	12/30/84	53	836 GOODMAN	ST N REPORTED GAS ODOR FROM DRYER. ALL GAS CONNECTIONS CHECKED. FOUND NO PR OBLEM.
8501166	2/08/85	55	836 GOODMAN	ST N RESPONDED ON CODE 2 TO COVER BROKEN WINDOW. USED BABY EXTENSION LADDER -PLASTIC-LATHE-STAPLE GUN.
8502716	4/04/85	14	836 GOODMAN	ST N CO2 USED.
8503380	4/25/85	16	836 GOODMAN	ST N SMALL DUMPSTER FIRE.
8507587	9/06/85	31	836 GOODMAN	ST N MONROE CODE 9 AT 2143.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
8601000	2/05/86	14	836 GOODMAN	ST N WITNESS SAW LIGHT GREEN CAR PULL AWAY SECONDS AFTER EXPLOSION. SEE REP ORT. 86036/1393
8602567	3/28/86	16	836 GOODMAN	ST N DUMPSTER FIRE.
8602618	3/30/86	16	836 GOODMAN	ST N DUMPSTER FIRE. 86089/0637
8603278	4/20/86	71	836 GOODMAN	ST N CODE 3 . 86110/1075
8604708	5/31/86	55	836 GOODMAN	ST N BROKEN WINDOWS. USED PLASTIC COVERING AND TAPE. 86151/0476
8610650	11/15/86	16	836 GOODMAN	ST N RUBBISH . 86319/0901
8611833	12/24/86	41	836 GOODMAN	ST N TRUCK DUMPED OIL IN GOODMAN ST SHOPPING PLAZA PARKING LOT. WE FLUSHED. 86358/0814
8700619	1/23/87	55	836 GOODMAN	ST N ASSIST POLICE TO SHUT OFF BURGLAR ALARM.
8701814	2/28/87	16	836 GOODMAN	ST N DUMPSTER FIRE, DUMPSTER IS LOCATED TO CLOSE TO BLDG & ELECTRIC WIRES ON POLE
8703380	4/13/87	16	836 GOODMAN	ST N RUBBISH FIRE. 87103/1060
8703399	4/14/87	55	836 GOODMAN	ST N PLASTIC COVERING AND STAPLE GUN. 87104/0148
8704398	5/10/87	31	836 GOODMAN	ST N MONR CODE 9 1347. CHILD HIT BY CAR, BROKEN LEG, ANITA LUANYVISOK AGE 6
8707110	7/19/87	72	836 GOODMAN	ST N DUMPSTER FIRE 87200/1421
8710398	10/24/87	55	836 GOODMAN	ST N ASSISTED POLICE ON INVESTIGATION OF BURG RAISED 20' LADDER TO ROOF. 87297/0555
8804301	5/09/88	25	836 GOODMAN	ST N OVERHEATED LIGHT BALLAST, BALLAST REMOVED 88130/0682
8805040	5/28/88	32	836 GOODMAN	ST N INTOX, AMB CANCELLED 88149/1178
8807902	8/05/88	25	836 GOODMAN	ST N OVER HEATED DRYER GAS SHUT DOWN ELECTRIC AND GAS TO UNIT AND COOLED WI TH. 88218/1895

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
88088888	9/02/88	55	836 GOODMAN	ST N ASSISTED POLICE WITH A LADDER 88246/0325
8810446	10/13/88	25	836 GOODMAN	ST N DEFECTIVE DRYER 88287/0811
8811203	11/03/88	25	836 GOODMAN	ST N OVERHEATED GAS DRYER IN LILAC LAUNDROMAT 88308/1620
8900297	1/09/89	55	836 GOODMAN	ST N USED GROUND LADDER TO ACCESS ROOF OF GOODMAN PLAZA 89009/0161
8904147	4/28/89	73	836 GOODMAN	ST N BURGLAR ALARM RINGING. POLICE HANDLED. 89118/1813
8904715	5/14/89	53	836 GOODMAN	ST N CHILDREN PLAYING WITH FIREWORKS.
8904943	5/20/89	14	836 GOODMAN	ST N DISPATCHED FOR AUTO INTO BLDG. NO INJURIES, NO NEED FOR RFD. 89140/0844
8906998	7/12/89	31	836 GOODMAN	ST N EMS PERSON FELL NEAR CONSTRUCTION HOLE 89193/0669
8908386	8/15/89	71	836 GOODMAN	ST N
8909024	9/02/89	71	836 GOODMAN	ST N CODE 3 , NO CAUSE FOR CALL. 89245/1644
8909759	9/21/89	16	836 GOODMAN	ST N PARKING LOT FLORKIEM SHOES 89264/0198
8910336	10/05/89	32	836 GOODMAN	ST N TROUBLE BREATHING. 89278/0315
9000582	1/17/90	55	836 GOODMAN	ST N RESPONDED ON CODE 2 TO REPAIR BROKEN WINDOW.
9002651	3/17/90	55	836 GOODMAN	ST N USED PLASTIC TO COVER A BROKEN WINDOW.POLICE ON THE SCENE.
9005557	5/27/90	55	836 GOODMAN	ST N FLUSHED SIDEWALK AT CRIME SCENE, AT REQUEST OF RPD.
9005606	5/28/90	11	836 GOODMAN	ST N FIRE STARTED BY YOUTHS OUTSIDE IN DISCARDED FURNITURE.
9009227	8/17/90	32	836 GOODMAN	ST N STABBING, NATIONAL AMBULANCE TRANSPORTED.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9010697	9/23/90	32	836 GOODMAN	ST N EMS, FOR TROUBLE BREATHING, NO OXYGEN REQUIRED.
9012549	11/07/90	71	836 GOODMAN	ST N OUTSIDE PHONE, FOUND NO ONE, NO EMERGENCY EXISTED, AREA CHECKED AND CONFIRMED CODE 3.
9013846	12/12/90	55	836 GOODMAN	ST N COVER WINDOW THAT WAS KNOCKED OUT IN A ROBBERY.
9102216	3/02/91	44	836 GOODMAN	ST N NO FIRE, BATTERY CABLE SHORTED, DISCONNECTED BATTERY.
9106243	4/29/91	53	836 GOODMAN	ST N SMOKE FROM A LIGHT BALLAST, GOODMAN PLAZA MAINT WILL TAKE CARE OF PROBLEM.
9107705	6/03/91	16	836 GOODMAN	ST N RUBBISH FIRE.
9110220	7/31/91	15	836 GOODMAN	ST N GRASS FIRE.
9110360	8/04/91	16	836 GOODMAN	ST N
9110382	8/04/91	16	836 GOODMAN	ST N SMALL DUMPSTER FIRE, NO WITNESSES.
9110502	8/07/91	31	836 GOODMAN	ST N ASSISTED NATIONAL WITH INTOXICATED PERSON.
9110593	8/09/91	51	836 GOODMAN	ST N LOCKOUT OF CAR.
9111610	9/03/91	32	836 GOODMAN	ST N SEIZURE, RESTRAINED IN POLICE CAR AND GIVEN OXYGEN.
9111618	9/04/91	46	836 GOODMAN	ST N MVA, NO FIRE, CAR ON ROOF. DISCONNECTED POWER, STOOD BY FOR TOWING SERVICE TO TURN VEHICLE OVER.
9113221	10/15/91	16	836 GOODMAN	ST N DUMPSTER FULL OF PLASTIC OIL BOTTLES. NEEDED TO CUT LOCK OFF OF DUMPSTER TO GAIN ENTRY.
9113693	10/26/91	55	836 GOODMAN	ST N ASSISTED POLICE WITH USE OF OUR LADDERS AT GOODMAN PLAZA.
9114180	11/07/91	46	836 GOODMAN	ST N MVA, CAR HIT PILLARS AT GOODMAN FURNATURE. BROKEN WINDOW. FD COVERED WITH PLASTIC.
9114787	11/23/91	16	836 GOODMAN	ST N DUMPSTER FIRE.

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
9115172	12/03/91	44	836 GOODMAN	ST N WIRES IN ENGINE COMPARTMENT SHORT CIRCUIT, BATTERY MELTED DOWN. NO FIRE.	
9207476	6/27/92	16	836 GOODMAN	ST N RUBBISH ON OUTSIDE OF A DUMPSTER BURNING, NO DAMAGE TO PROPERTY.	
9212433	10/05/92	32	836 GOODMAN	ST N EMS FOR SEIZURE. NATIONAL AMBULANCE HANDLED.	
9300239	1/05/93	51	836 GOODMAN	ST N PERSON LOCKED OUT OF CAR. POLICE HANDLED.	
9300657	1/15/93	44	836 GOODMAN	ST N OVERHEATED MOTOR ON WASHING MACHINE.	
9304494	4/08/93	35	836 GOODMAN	ST N CHILD HAD HAND STUCK IN GUM BALL MACHINE. Q7 APPLIED SOAP & REMOVED. NATIONAL ADMINISTERED FIRST AID.	
9310612	8/17/93	33	836 GOODMAN	ST N BABY LOCKED IN VEHICLE, FD USED HANGER TO GET KEYS OFF FRONT SEAT. BABY OK.	
9311383	9/02/93	15	836 GOODMAN	ST N RUBBISH SET ON FIRE IN THE PARKING LOT.	
9400390	1/08/94	32	836 GOODMAN	ST N NO PCR - BUSSIE DORN '72 YEARS NATIONAL HANDLED	
9405899	5/13/94	71	836 GOODMAN	ST N FALSE CALL, NO FIRE.	
9406302	5/23/94	16	836 GOODMAN	ST N TRASH FIRE IN VACANT LOT.	
9407683	6/21/94	32	836 GOODMAN	ST N EMS, NATIONAL TRANSPORTED AFTER FD HELPED LOAD. CFF	
9408178	7/01/94	71	836 GOODMAN	ST N FALSE CALL, CHILD CALLER FROM PAYPHONE.	
9409292	7/25/94	16	836 GOODMAN	ST N SMALL RUBBISH FIRE IN PARKING LOT.	
9412561	10/03/94	53	836 GOODMAN	ST N DEFECTIVE WASHING MACHINE, MAINT ON SCENE TO CORRECT THE PROBLEM.	
9415350	12/02/94	16	836 GOODMAN	ST N BRUSH FIRE IN GOODMAN PLAZA PARKING LOT. FIRE REFERRED TO CAR 91 BECAU SE WITNESS KNEW WHO STARTED FIRE.	
9501461	2/03/95	14	836 GOODMAN	ST N CAR FIRE, OWNER NOT LOCATED. VEH NOT CREATING DANGER.	

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
9503368	3/15/95	71	836 GOODMAN	ST N CALLER USED PAYPHONE AT LOC, FALSE ALARM AT THE PLAZA	
9503509	3/18/95	53	836 GOODMAN	ST N REPORTED SMOKE COMING FROM COMMERCIAL DRYER, NO CAUSE FOUND, POSSIBLE LINT BUILD UP.	
9505683	5/06/95	32	836 GOODMAN	ST N EMS INTOX, IDENTITY UNK	
9505816	5/08/95	16	836 GOODMAN	ST N	
9506383	5/21/95	16	836 GOODMAN	ST N DUMPSTER REAR OF WONDER BREAD.	
9507582	6/12/95	11	836 GOODMAN	ST N BALLAST ON LIGHT FIXTURE IN STORAGE ROOM, STORE MANAGER TO CONTACT OWNER & HAVE LIGHT FIXTURE REPAIRED.	
9511664	8/26/95	16	836 GOODMAN	ST N	
9512396	9/10/95	59	836 GOODMAN	ST N COVERED BROKEN WINDOW	
9515297	11/06/95	41	836 GOODMAN	ST N RESPONDED FOR NATURAL GAS ODOR OUTSIDE. FD CHECKED AREA COULD DETECT NO ODOR OR READINGS, NO CAUSE.	
9515307	11/06/95	53	836 GOODMAN	ST N SMOKE/ODOR IN AREA OUTSIDE. CANVASSED SEVERAL BLOCKS IN AREA, FOUND NO SOURCE, POSS WOOD BURNING STOVE.	
9607180	5/30/96	71	836 GOODMAN	ST N VERBAL TO FIREHOUSE BY TWO YOUTHS FOR A CAR LEAKING GAS AT GOODMAN PLAZA, NOTHING WAS FOUND.	
9608340	6/20/96	52	836 GOODMAN	ST N BUILDING MAINTENANCE TO HANDLE PROBLEM.	
9608793	6/28/96	32	836 GOODMAN	ST N 36 YR OLD MALE WAS HAVING TROUBLE BREATHING, WE TOOK VITALS.	
9609920	7/21/96	55	836 GOODMAN	ST N ASSISTED POLICE TO GAIN ACCESS TO A ROOF BY PUTTING UP A LADDER	
9611743	8/24/96	15	836 GOODMAN	ST N OUTSIDE BRUSH FIRE.	
9615887	11/12/96	55	836 GOODMAN	ST N ASSIST RPD W/THE USE OF A GROUND LADDER.	
9700181	1/03/97	25	836 GOODMAN	ST N ELEC ARCLNG ROM WASHING MACHINE UNIT, FD SHUT DOWN BY FD, OWNER ADVISE VIA PHONE, OWNER HANDLED REPAIR.	

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
9702330	2/15/97	71	836 GOODMAN	ST N FALSE CALL - CHILD CALLER FROM PAY PHONE
9706473	4/29/97	65	836 GOODMAN	ST N CAR OVERHEATING MISTAKEN FOR POSS CAR FIRE NO NEED FOR FIRE DEPT
9706962	5/07/97	32	836 GOODMAN	ST N EMS CHILD NOT BREATHING PCR 628446
9707031	5/08/97	53	836 GOODMAN	ST N SMELL OF SMOKE INVESTIGATION COULD NOT FIND ANY PROBLEM
9707411	5/15/97	32	836 GOODMAN	ST N EMS MAURICE CAMPBELL AGE 13 FELL OFF MINIBIKE BLEEDING FROM CHIN
9707526	5/17/97	16	836 GOODMAN	ST N DUMPSTER FIRE CONTAINED TO DUMPSTER
9708379	5/31/97	35	836 GOODMAN	ST N MAN TRAPPED IN VENTILATION SHAFT NECESSARY TO PARTIALLY DISMANTLE SHAFT TO FACILITATE RESCUE
9711498	7/19/97	71	836 GOODMAN	ST N FALSE CALL CHILD CALLED FR PAY PHONE YELLED FIRE AND HUNG UP NO ONE _____ WITNESSED THE CALL
9711858	7/25/97	32	836 GOODMAN	ST N REFER TO PCR 6296578
9802399	2/07/98	32	836 GOODMAN	ST N EMS INTOX ASSIST POLICE AND AMB AS DIRECTED
9804486	3/17/98	71	836 GOODMAN	ST N FALSE CALL
9808894	5/30/98	44	836 GOODMAN	ST N DEFECTIVE CORD ON BEVERAGE COOLER FD 501 ATTACHED _____
9809847	6/13/98	16	836 GOODMAN	ST N DUMPSTER FIRE ON SIDE OF RITE AID
9814571	8/20/98	55	836 GOODMAN	ST N ASSIST ROCHESTER POLICE DEPT WITH USE OF LADDER TO COLLECT EVIDENCE _____ FROM ROOF TOP
9816446	9/13/98	32	836 GOODMAN	ST N EMS AMB ARRIVED ALONG WITH US AMB HANDLED
9818571	10/13/98	69	836 GOODMAN	ST N RPD CR 98358259 CALLED TO TAKE LIQUID EVIDENCE FROM GASOLINE CONTAINED FOUND IN PARKING LOT
9820047	11/04/98	16	836 GOODMAN	ST N FIRE IN DUMPSTER

CITY OF ROCHESTER - FIRE DEPARTMENT
ALL RUNS
SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
9820502	11/10/98	32	836 GOODMAN	ST N EMS PCR 40553927 PREGNANCY IMMENT DEL	
9823078	12/18/98	32	836 GOODMAN	ST N EMS PCR 40553898 CHEST PAIN LEFT SIDE	
9901246	1/15/99	46	836 GOODMAN	ST N MVA VEH INTO RITE AID DRUG STORE RPD ON SCENE STRUC DAMAGE LIMITED TO BROKEN WINDOW NO NEED FOR EMS	
9904625	2/26/99	32	836 GOODMAN	ST N PCR 40553736 CHEST PAIN	
9905678	3/09/99	31	836 GOODMAN	ST N EMS REFUSE	
9907174	3/31/99	44	836 GOODMAN	ST N POSS ELECTRICAL ARCTING & OVERHEAT FR 3 LIGHT BALLAST IN CEILING FIXTU- RE BLDG MAINT. HANDLE REPAIRS	
9908574	4/21/99	65	836 GOODMAN	ST N STEAM FROM RADIATOR CAR	
9908611	4/22/99	41	836 GOODMAN	ST N REPORT OF NATURAL GAS ODOR IN THE PLAZA LIQUOR STORE & CHINESE RESTAU- RANT NEXT DOOR RGE ONSCENE	
9911297	5/30/99	14	836 GOODMAN	ST N VIN 2G1AW19WXG1275589 OWNER ON SCENE JUST RECENTLY REPLACED ENGINE ____ VEH MISFIRING AFTER REPLACING ENG	
9919754	9/18/99	17	836 GOODMAN	ST N RUBBISH FIRE NEXT TO DUMPSTER PLASTIC COVER FOR DUMPSTER DAMAGED ____ C94 AND C98 RESPONDED	
9919966	9/21/99	14	836 GOODMAN	ST N SHORTED OUT FUEL PUMP RELAY FIRE PUT OUT BY BUS DRIVER DRY CHEMICAL	
9920304	9/26/99	31	836 GOODMAN	ST N EMS TROUBLE BREATHING AMB ON LOCATION NO PT CONTACT	
9920496	9/28/99	32	836 GOODMAN	ST N MVA 4 PERSONS 2 RM AMB ONSCENE RPD ONSCENE PCR 42038579	
9920539	9/29/99	16	836 GOODMAN	ST N SMALL RUBBISH FIRE EXTINGUISHED IMMEDIATELY WITH APPROXIMATELY 50 GALS OF TANK WATER NO DAMAGE	
9921573	10/12/99	32	836 GOODMAN	ST N EMS PCR 42038643 SWEATY LIGHT HEADED	
9922976	11/01/99	32	836 GOODMAN	ST N EMS W/ INTOX REFUSED TREATMENT AND REFUSED TO SIGN OFF LEFT SCENE	
9923036	11/02/99	53	836 GOODMAN	ST N ODOR HAD DISSIPATED BY TIME RFD ARRIVED	

SPECIFIC ADDRESS

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
9924785	11/24/99	49	836 GOODMAN	ST N DANGEROUS CONDITIONS SIGN DANGLING FR SINGLE SUPPORT SIGN TAKEN DOWN	
9926682	12/21/99	32	836 GOODMAN	ST N EMS REFER TO PCR 42038690 PAIN LEFT SIDE	

10/04/16

CITY OF ROCHESTER - FIRE DEPARTMENT

ALL RUNS

SPECIFIC ADDRESS

PAGE 1

INC	DATE	TYPE	INCIDENT	ADDRESS	REMARKS
8502820	4/07/85	33	838 GOODMAN	ST N LOCK IN.	CHILD WAS FREE BEFORE ARRIVAL.

	INC	DATE	TYPE INCIDENT	ADDRESS	REMARKS
	8206888	8/14/82	40	840 GOODMAN	ST N CODE 3.

ROCHESTER FIRE DEPARTMENT

RUNS TO
810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
4/4/15 9:44	2015008435	311 N GOODMAN ST	Correct address 826 N.Goodman street Donut Diner, EMS RMMS on scene also RPD (dispatch confusion on address police side) RMMS handled pt care and transport
1/13/08 15:46	2008001251	600 N GOODMAN ST	LOCK OUT SHIRLEY KINSEY- DSL-5744
1/26/08 16:35	2008002385	300 N GOODMAN ST	EMS NO PATIENT CONTACT
1/29/08 11:55	2008002657	321 N GOODMAN ST	EMS SEE PCR
3/21/08 15:48	2008007384	321 N GOODMAN ST	EMS FOR POSSIBLE MISCARRAGE
4/4/08 12:54	2008008534	600 N GOODMAN ST	CALL FOR A CAR FIRE, TURNED OUT TO BE A BURNT OUT WINDOW MOTOR ON THE DRIVERS SIDE, OWNER TO TAKE CARE OF RUBBISH FIRE OUTSIDE
5/25/08 11:36	2008012833	151 N GOODMAN ST	EMS / HIGHLY INTOXICATED MALE / AMBULANCE TRANSPORTED
4/2/06 15:39	2006006778	300 N GOODMAN ST	EMS TROUBLE BREATHING
4/8/06 15:33	2006007208	321 N GOODMAN ST	EMS / MATERNITY / AMBULANCE TRANSPORTED
4/30/06 23:06	2006008935	300 N GOODMAN ST	MINOR 2 CAR MVA NO ONE INJURED POLICE TO HANDLE
6/8/06 15:13	2006012119	300 N GOODMAN ST	FALSE CALL FOR A HOUSE FIRE
7/5/06 19:27	2006014456	700 N GOODMAN ST	ELECTRICAL SHORT BATTERY DISCONNECTED
7/26/06 7:40	2006016340	251 N GOODMAN ST	MINOR MVA NO NEED FOR RFD. RPD TO HANDLE.
8/1/06 21:18	2006017037	460 N GOODMAN ST	YOUTHS BURNING PAPERS IN THE FIELD, RAN OFF UPON Q-7'S ARRIVAL, NOTHING FOUND BURNING
8/10/06 20:51	2006017902	911 N GOODMAN ST	EMS - CHEST PAIN, AMB. HANDLED.
9/26/06 15:15	2006021646	311 N GOODMAN ST	FALSE CALL NO PROBLEM AT ADDRESS
10/9/06 13:44	2006022695	710 N GOODMAN ST	Responded to a dumpster fire behind 836 N.Goodman St. Some trash and mattress was burning.
10/11/06 11:10	2006022865	154 N GOODMAN ST	ASSIST RPD W/ USE OF A LADDER
11/20/06 0:17	2006026068	551 N GOODMAN ST	ODOR OF NAT. GAS OUTSIDE Q7 FOUND NOTHING RG&E TO HANDLE
12/6/06 12:50	2006027339	410 N GOODMAN ST	VEHICLE LOCK OUT. WINDOW BROKEN IN PROCESS. IDC SENT TO THE DEPUTY
1/16/07 11:56	2007001214	511 N GOODMAN ST	LOCK OUT OF A CAR
1/28/07 18:07	2007002230	500 N GOODMAN ST	BROKEN WATER PIPE OUTSIDE OF GOODMAN PLAZA D.E.S. WATER DEPT TO HANDLE
1/28/07 21:52	2007002246	520 N GOODMAN ST	FEMALE COMPLAIN OF NECK INJURY FROM A CEILING TILE FALLEN AND STRIKING HER IN THE HEAD. RURAL METRO ON SCENE, AND TO HANDLE. Please refer to Patient transfer report for further comments.
3/2/07 16:03	2007005002	321 N GOODMAN ST	EMS CHILD W/ SIEZURES R/M HANDLED
4/21/07 12:09	2007009484	311 N GOODMAN ST	Popped the door on a Black Dodge Caravan Minivan, no damage done to vehicle.
6/1/07 13:32	2007012992	500 N GOODMAN ST	FEMALE LOCKED HER KEYS IN THE CAR. UPON ARRIVAL SHE HAD GAINED ENTRY
6/11/07 12:32	2007013959	600 N GOODMAN ST	occupant complained of odor in store q7 found nothing occupant to await RG&E
6/18/07 15:10	2007014603	410 N GOODMAN ST	EMS FOR A BICYCLIST STRUCK BY VEHICLE.
7/3/07 17:40	2007016088	323 N GOODMAN ST	OUTSIDE RUBBISH FIRE IN REAR OF GOODMAN PLAZA
7/4/07 2:23	2007016126	151 N GOODMAN ST	SMALL DUMPSTER FIRE.
7/19/07 15:15	2007017464	154 N GOODMAN ST	

ROCHESTER FIRE DEPARTMENT

RUNS TO
810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
7/23/07 14:18	2007017811	300 N GOODMAN ST	EMS FOR AN ALERGIC REACTION TO A BEE STING, NO PATIENT CONTACT
8/28/07 21:27	2007021121	611 N GOODMAN ST	POLICE MATTER; M7 RELEASED EN ROUTE BY RPD.
9/28/07 16:41	2007023751	311 N GOODMAN ST	ON LOCATION WITH THE AMB, NO PT CONTACT
10/21/07 9:42	2007025643	621 N GOODMAN ST	FALSE CALL REPORTING MAILBOX ON FIRE
12/1/07 10:32	2007029076	300 N GOODMAN ST	EMS FOR A PERSON FALLEN NO PATIENT CONTACT
7/26/08 16:09	2008018487	740 N GOODMAN ST	BURNT POPCORN SET OFF AUTO. ALARM
8/29/08 16:28	2008021499	300 N GOODMAN ST	PATIENT LEFT THE AREA BEFORE OUR ARRIVAL, UNABLE TO LOCATE THE PERSON.
9/3/08 10:42	2008021878	321 N GOODMAN ST	EMS. SEE PCR FOR DETAILS.
9/5/08 18:09	2008022140	321 N GOODMAN ST	
11/2/08 13:13	2008027698	443 N GOODMAN ST	ODOR OF SMOKE. AN OVER HEATED LIGHT BALLST WAS SOUND IN THE REAR STORAGE AREA OF THE STORE. THE ELECTRICITY TO THE LIGHT WAS SHUT OFF.
11/5/08 12:29	2008027956	118 N GOODMAN ST	RESPONDED TO THE LAUNDRAMAT FOR SMOKE COMING FROM A COMMERCIAL CLOTHES DRYER// FOUND A SMALL AMOUNT OF SMOLDERN LINT IN UNIT # 8//EXTINGUISHED WITH 2 1/2 GALLON EXTINGUISHER// CONFINED TO UNIT, BUILDING ON SCENE TO HANDLE REPAIRS// CONFINED TO DRYER.
11/23/08 12:34	2008029528	511 N GOODMAN ST	IN SERVICE RESPONSE FOR A CHILD LOCKED IN A RUNNING VEHICLE. ENTRY GAINED THROUGH PASSENGER WINDOW USING "SULLY TOOL".
12/16/08 14:59	2008031496	321 N GOODMAN ST	EMS FOR A 92 YOF FELT DIZZY.
4/6/09 11:29	2009008121	511 N GOODMAN ST	locked out of car
4/27/09 22:48	2009009922	151 N GOODMAN ST	small trash can fire outside. no exposures, no witnesses
5/18/09 14:58	2009011703	154 N GOODMAN ST	DUMPSTER FIRE CAR 92 CALL TO MAKE REPORT FROM STORE OWNER
5/18/09 14:58	2009011708	611 N GOODMAN ST	VOID INCIDENT DISPATCHER ERROR
7/9/09 18:01	2009016340	500 N GOODMAN ST	CALLED FOR A RUBBISH FIRE. NO FIRE UPON OUR ARRIVAL.
7/9/09 19:54	2009016351	131 N GOODMAN ST	Car fire out upon arrival.
7/16/09 4:36	2009016899	154 N GOODMAN ST	OUTSIDE GARBAGE CAN FIRE.
7/23/09 15:25	2009017579	445 N GOODMAN ST	PRIMARY ELECTRIC POWER LINES ARCHING AND SPARKING ON THE POLE WITH TWO MAIN FUSES BLOWN. STOOD BY UNTIL RG&E LINE CREW ARRIVED TO HANDLE.
7/31/09 15:16	2009018292	311 N GOODMAN ST	EMS FOR FEMALE SEIZURES ON LOCATION WITH AMB NO PT CONTACT
9/14/09 19:52	2009022244	321 N GOODMAN ST	EMS FOR PERSON DOWN
9/16/09 18:22	2009022423	323 N GOODMAN ST	MINOR FIRE ON A DISPLAY SHELF INSIDE THE STORE. PACKAGES OF PAPER TOWELING WERE BURNING. EXTINGUISHED USING APPROXIMATELY 30 GALLONS OF WATER. BUILDING WAS VENTILATED USING FANS. FIRE INVESTIGATION (CAR 01 & CAR 98) RESPONDED TO CONDUCT AN INVESTIGATION. COUNTY HEALTH DEPARTMENT WAS CALLED FOR A FOLLOW UP ON THE STORE CONTENT (FOOD, ETC.). BURNED MATERIAL WAS REMOVED TO THE EXTERIOR OF THE BUILDING (DUMPSTER). SEE FIRE INVESTIGATION REPORTS FOR ORIGIN AND CAUSE.
12/5/09 16:30	2009028933	311 N GOODMAN ST	EMS AMB O/S HANDLED JOB
12/11/09 15:14	2009029419	311 N GOODMAN ST	EMS MALE TROUBLE BREATHING

ROCHESTER FIRE DEPARTMENT

RUNS TO

810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
1/6/10 15:47	2010000444	322 N GOODMAN ST	MVA, victim complaining of abdominal pain. Handled by R/M.
2/12/10 14:08	2010003360	321 N GOODMAN ST	EMS
3/6/10 14:24	2010005223	311 N GOODMAN ST	EMS FOR WOMAN WHO HAD A SEIZURE. RURAL METRO TO TRANSPORT, NO PT CONTACT.
4/3/10 13:09	2010007514	321 N GOODMAN ST	EMS, women fallen in store. Handled by R/M.
4/23/10 23:06	2010009227	311 N GOODMAN ST	waved off
5/12/10 18:24	2010010919	151 N GOODMAN ST	Small garbage can outside at plaza burning, extinguished by plaza security
7/9/10 21:33	2010016295	311 N GOODMAN ST	see quint report
7/15/10 18:28	2010016858	324 N GOODMAN ST	Vehicle struck back of block building. No injuries to vehicle occupant, who had been taken into custody by RPD.
8/30/10 17:49	2010020861	531 N GOODMAN ST	Cooking smoke from restaurant next door seeping into store. Talked to restaurant owner, was told exhaust fan not working. Owner to shut down fryers until fan gets repaired.
9/11/10 2:33	2010021878	151 N GOODMAN ST	RESPONDED FOR THE RUBBISH FIRE OUTSIDE AGAINST THE BUILDING// E-1 ON SCENE REPORTED TIRES BURNING AGAINST THE NORTH WALL OF THE FAMILY DOLLAR STORE// BUILDING WAS SECURED AT TIME OF FIRE// FD HAD TO FORCE ENTRY INTO THE REAR DOOR TO CHECK FOR ANY FIRE OR HEAT EXTENTION INTO THE BUILDING// NONE FOUND// FD TEMPORARY RESECURED THE DOOR// DISPATCH MADE NOTIFY'S TO CONTACT A BUILDING REP// CAR 98 STOOD BY TILL THEY ARRIVED.
9/25/10 13:55	2010023230	323 N GOODMAN ST	bicycle/car mva, no injuries, rmms to handle sign off,rpd on scene also. car lic plate reported as EVG-2697, grey or silver possibly a saturn.info given to rpd.
10/9/10 16:31	2010024484	622 N GOODMAN ST	SMOKE FROM COOKING COMING OVER FROM CHINESE RESTAURANT INTO LIQUOR STORE, NO SMOKE ON ARRIVAL. WILL NOTIFY TO FIRE SAFETY ON GOING PROBLEM OF RESTAURANT NOT USING HOOD SYSTEM.
11/9/10 15:12	2010027179	671 N GOODMAN ST	Reported natural gas in the area. We checked the area and could not fine anything.
11/17/10 16:46	2010027901	444 N GOODMAN ST	approximately 8-10 ft. section of wire hanging from top of pole, occasionally sparking when the wind blows it into the pole.wire is about 20 ft. in air, no exposures of any kind, surrounded by vacant lots.placed barrier tape in area as well as possible for rge to find the pole.
11/23/10 7:27	2010028336	520 N GOODMAN ST	RESPONDED TO A STRIP MALL FOR THE COMMERCIAL WATER LEAK AT THE LAUNDRAMAT// FD ENTERED THRU OPEN FRONT DOOR// FOUND THAT A WATER VALVE BEHIND ONE OF THE WASHING MACHINES HAD RUPERTED AND BLEW OFF THE LINE, SPEWING WATER// FD FORCED ENTRY INTO THE REAR CONTROL ROOM TO GAIN ACCESS TO SHUT OFF VALVE// FD SQUEEGEED WATER FROM BUILDING// B-1 MADE SEVERAL ATTEMPTS TO FIND AND CONTACT AN OWNER , WITH NO LUCK// FD SHUT DOWN CIRCUIT BREAKERS NEAR AFFECTED WASHERS , AND HAD TO LEAVE PREMISES WITHOUT ANY OWNER CONTACT.
2/21/11 16:57	2011004453	511 N GOODMAN ST	IN SERVICE CALL CHILD LOCKED IN A RUNNING VEHICLE. GAINED ACCESS INTO VEHICLE
4/15/11 13:04	2011008938	331 N GOODMAN ST	TURNED SCENE OVER TO RPD. LICENSE PLATE # FBH 2996
5/8/11 14:43	2011010856	251 N GOODMAN ST	CHILD LOCKED INSIDE A MOTOR VEHICLE. ENTRY WAS GAINED WITHOUT ANY DAMAGE. Lint in commercial dryer causing smoke. No fire. Operator advised to have unit inspected prior to returning it to service.

ROCHESTER FIRE DEPARTMENT

RUNS TO

810 - 846 N GOODMAN ST***EVEN NUMBER ADDRESSES**

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
6/8/11 5:59	2011013670	311 N GOODMAN ST	amb to handle two pt asleep in driveway
7/2/11 12:26	2011015872	463 N GOODMAN ST	car struck building, left a crack in a window, no other damage or injuries, car left scene.security guard for store standing by for rpd to give plate # of vehicle involved
7/12/11 2:19	2011016821	311 N GOODMAN ST	ems no pt contact. amb to handle
7/19/11 14:55	2011017502	311 N GOODMAN ST	EMS. No pt contact.
7/29/11 18:20	2011018581	511 N GOODMAN ST	Person locked out of vehicle.
8/1/11 20:34	2011018864	321 N GOODMAN ST	EMS, unresponsive person down outside laundry, started to respond, appears intox. released by R/M.
8/10/11 20:23	2011019669	311 N GOODMAN ST	ems - man down with seizure in parking lot. rm to handle
8/19/11 22:26	2011020607	151 N GOODMAN ST	Report of something burning in the parking lot, a small amount of burnt papers were found at the location no suspects were in the area. The plaza was closed at the time of the incident, due to the negligible value of the items burned, no property damage and the fact that there were no witnesses to interview Fire Investigation was not requested to respond.
9/23/11 10:04	2011023689	551 N GOODMAN ST	assist rpd with gaining access to roof for an investigation.
10/3/11 16:53	2011024615	661 N GOODMAN ST	EMS CALL. PATIENT LEFT THE AREA PRIOR TO RPD AND RFD ARRIVAL.
10/10/11 17:21	2011025228	324 N GOODMAN ST	see quint report
10/29/11 7:13	2011026931	622 N GOODMAN ST	MVA w/no injuries.
11/2/11 15:05	2011027326	661 N GOODMAN ST	caller (chun kin) said he saw fire in parking lot of gas station,no fire found,spoke with richard
11/6/11 11:08	2011027628	511 N GOODMAN ST	snow in parking lot of gas station and he said he was using a lighter that had malfunctioned and melted.nothing else found in area to suggest otherwise.
11/11/11 19:08	2011028114	311 N GOODMAN ST	ems-pt left scene
12/28/11 20:30	2011032021	622 N GOODMAN ST	Assisted a person that had locked their keys in the car, M7 unlocked the vehicle door using the Sully tool.
1/5/12 19:25	2012000434	321 N GOODMAN ST	Report of a person slumped over in a car- no ems needed person sleeping unlocked car before rfd arrival
2/19/12 13:59	2012004079	331 N GOODMAN ST	EMS, person in police custody with cut hand. R/M also on location, handled patient.
8/21/12 20:20	2012020725	413 N GOODMAN ST	Assist police with child locked in car. Gained entry.
			WASTE OIL DUMPED DOWN DRAINS AT CAR WASH B2 TO MAKE CALL PURE WTERS HEALTH DEPT.

ROCHESTER FIRE DEPARTMENT

RUNS TO
810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
8/29/12 21:38	2012021468	137 N GOODMAN ST	E9 responded for a truck fire behind Goodman Plaza, while responding assignment was upgraded to a building fire.
9/4/12 12:24	2012021979	661 N GOODMAN ST	
10/17/12 18:14	2012026324	151 N GOODMAN ST	
10/30/12 19:11	2012027672	412 N GOODMAN ST	FLU on site for follow up and truck towed by RPD.
10/31/12 9:52	2012027710	321 N GOODMAN ST	ems man having seizure left scene prior to arrival
11/17/12 1:23	2012029260	551 N GOODMAN ST	CALL FOR SMELL OF SMOKE IN THE AREA NEAR THE VACANT CAR WASH IN THE GOODMAN PLAZA. FOUND PAPERS THAT HAD BEEN BURNED INSIDE A DISCARDED TV. FIRE OUT ON ARRIVAL. NO SUSPECTS.
12/7/12 16:24	2012031040	311 N GOODMAN ST	minor leak near pilot light valve of ceiling mounted heater
1/9/13 16:25	2013000754	321 N GOODMAN ST	EMS. SEE PCR FOR DETAILS.
2/6/13 16:58	2013003267	321 N GOODMAN ST	Assist police with covering broken window.
2/27/13 10:16	2013004909	251 N GOODMAN ST	EMS. NO PATIENT CONTACT. RURAL METRO HANDLED.
			EMS FOR A MAN DOWN, FD ON SCENE WITH A MAN DOWN
			ems/ rmts to xport
			E17 responded for elec odor and called T4 and B1 to assist.
			Per manager: Bank of lights on L side of store went out. 10 min later someone smelled smoke in back room.
			Odor of smoke in back room as we entered. Heater, fan motors, and elec outlets checked.
			Odor appears to be coming from elec panel A. One of the breakers was warmer (130 vs 90) than others, but not tripped. No other odor found in store - area above lights that were out was checked.
			RGE requested, but never arrived. I called a 2nd time and still had no eta and no crew.
			Owner (Jim) arrived and he called electrician. Electrician arrived and opened panel to find burned wires in panel that controls lighting. Main breaker in panel A also showed poss heat damage. Electrician stated he would make repairs and he was ok with store opening.
			Store opened and RGE canceled.

ROCHESTER FIRE DEPARTMENT

RUNS TO

810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
4/5/13 20:16	2013007960	324 N GOODMAN ST	Car into the Building, (took out roof drain E9 removed) also pushed in Bricks of store. 3 passengers all denied Ems care. RMMs on scene handled sign offs, RPD had scene. good intent call,rpd handling
5/1/13 3:46	2013010106	552 N GOODMAN ST	Report of person struck. On location with RPD and R/M. nothing found, false call.
6/16/13 8:52	2013014368	713 N GOODMAN ST	M.V.A.WITH INJURIES
8/8/13 13:01	2013019535	322 N GOODMAN ST	ODOR OF NATURAL GAS IN 3 DIFFERENT STORES OF A STRIP PLAZA, INVESTIGATION FOUND
8/9/13 9:05	2013019599	412 N GOODMAN ST	STOVE GAS VALVE LEFT OPEN IN PIZZA SHOP. RGE ON LOCATION RED TAG PIZZA OVEN FOR LEAKS AT THE VALVES, PROPERTY REP ON LOCATION TO HANDLE ALL REPAIRS.
			LANGUAGE BARRIER CAUSED CONFUSION ON LOCATION OF OWNER, CONTACT INFORMATION AND EXACTLY WHAT REPAIRS ARE REQUIRED.
			REPORTED GAS LEAK AT PROPERTY. LANGUAGE BARRIER CAUSED CONFUSION. OWNER CALLED RGE AND STATED GAS WAS OFF AT OVENS
			WANTED IT ON. RGE ON LOCATION FOR SECOND TIME. LOCKED OFF METER DUE TO CONFUSION AND TO AVOID RISK OF BEING TURNED BACK ON
			EMS CALL WITH A POLICE MATTER IN PROGRESS SO ENGINE 9 WAS TOLD TO STAGE. BECAUSE OF ITS CLOSE PROXIMITY TO THE FIREHOUSE WE STAGED ON THE APRON. AFTER APPROXIMATELY 8-10 MINUTES, WE WERE CANCELLED BY THE RPD.
			Responded for haze of smoke in building. E9 on scene with haze of smoke in property. (Hollywood Hair and Beauty) Business owner stated he turned on furnace, approximately one hour later he noticed a haze in building and shut off furnace. It was found that the furnace was not operating properly and caused a haze. Possible problem with blower motor. Furnace overheated causing haze. No fire. RG&E on scene and red tagged furnace. Building ventilated. Building owner on scene (Jimmy Ren) and business owner (Fadhel Nagi) Fire Safety car 57 (Mark Schaldone) called to the scene to address a possible fire safety violation with a locked rear exit. Also city inspector Anne Wallace was on scene with building owner doing inspection of the whole plaza. Owner advised to have heating company called to repair furnace.
			minor mva in parking lot/no injuries/no fluid spill.callers to await rpd
			water dripping from a pipe in ceiling above drop ceiling tiles, manager/maintenance to handle DISPATCHED FOR THE SMELL OF NATURAL GAS AT THE LAUNDRY FACILITY. UPON ARRIVAL THERE WAS NOTHING SHOWING AT THE LARGE STRIP MALL PEOPLE WAITING OUT FRONT. ON ARRIVAL THE CALLER STATED SHE WAS DOING HER LAUNDRY AND BEGAN TO SMELL NATURAL GAS. UPON INVESTIGATION THE METER SHOWED 0 LEO CO AND 21% OXYGEN. THE BUSINESS OWNER WAS CONTACTED AND WHEN HE ARRIVED HE OPENED THE ACCESS TO BEHIND ALL THE MACHINES. NEGATIVE READING BEHIND ALSO. FIRE SAFETY WAS CONTACTED FOR THE CONDITIONS OF THE FACILITY. RGE WAS GOING TO CONTINUE IN AND FIRE SAFETY TO FOLLOW UP WITH THE LOCATION .
			Check for damage that may have occurred when car hit the front of building. No damage to building. Goodman Plaza security on location, car had left scene.
3/10/14 15:14	2014005940	463 N GOODMAN ST	

ROCHESTER FIRE DEPARTMENT
RUNS TO

810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>	<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
3/17/14 16:57	2014006555	511 836 N GOODMAN ST	ASSIST WITH A PERSON LOCKED OUT OF HER MOTOR VEHICLE. ENTRY WAS MADE WITHOUT INCIDENT.
4/12/14 15:28	2014008690	311 836 N GOODMAN ST	ems, rmms on scene same time, to handle DUMPSTER FIRE IN THE REAR OF THE "SAVE A LOT" GROCERY STORE. EXTINGUISHED USING AN 1 3/4" LINE. THE BUILDING WAS NOT INVOLVED AND THERE WAS NO DAMAGE TO THE DUMPSTER. THE ROOF OF THE BUILDING WAS CHECKED TO MAKE SURE NO FLYING EMBERS MADE THEIR WAY TO THE ROOF; THERE WERE NONE.
4/22/14 20:51	2014009594	154 836 N GOODMAN ST	Minor two car MVA in parking lot RMMS and RPD, RMMS handled pt care with minor ankle pain.
5/1/14 8:40	2014010277	324 836 N GOODMAN ST	EMS, patient having seizures. On location with R/M, handled patient. E9 dispatched EMS for a shooting
6/5/14 18:48	2014013481	311 836 N GOODMAN ST	E9 Staged in quarters E9 & Rural Metro cleared in by RPD
6/13/14 20:53	2014014233	311 836 N GOODMAN ST	Rural Metro to handle pt. care and transport No pt. contact/ No PCR
8/3/14 21:26	2014019215	311 836 N GOODMAN ST	person waiting at pay phone for ride to hospital, doesn't want firetruck. rmms on scene providing transportation
8/8/14 17:51	2014019695	622 836 N GOODMAN ST	REPORT OF 2 CHILDREN LOCKED INSIDE A MOTOR VEHICLE. UPON ARRIVAL THERE WAS NO ONE, OR NO VEHICLE IN THE AREA. FIRE DISPATCHER CALLED THE COMPLAINANT WHO STATED THAT THE VEHICLE OWNER WAS ABLE TO GAIN ENTRY AND LEFT THE AREA PRIOR TO RFD ARRIVAL. GOOD INTENT CALL.
9/2/14 10:40	2014021998	440 836 N GOODMAN ST	Defective breaker in electrical box causing odor. Effectuated circuit shut down and owner advised to contact electrician.
9/19/14 11:13	2014023708	531 836 N GOODMAN ST	ODOR OF SMOKE WHICH WAS CAUSED BY A SELF CLEANING ELECTRIC OVEN AT A NEIGHBORING BUSINESS. DOORS WERE OPENED TO CLEAR THE SMOKE CONDITION.
11/2/14 11:29	2014027819	321 836 N GOODMAN ST	Ems for seizures, see pcr.
11/10/14 16:12	2014028534	661 836 N GOODMAN ST	pt. gone prior to arrival
12/23/14 14:26	2014032348	445 836 N GOODMAN ST	Report of light fixture sparking. Shorted light fixture, no fire, shut down electrical circuit to lights. Manager to notify landlord for repair.
12/31/14 18:58	2014033053	463 836 N GOODMAN ST	VERY MINOR MVA WITH NO INJURIES.
3/7/15 9:47	2015005914	522 836 N GOODMAN ST	Water pipe valve was open. Rfd turned valve off. No other problem found.
3/18/15 21:15	2015007004	311 836 N GOODMAN ST	EMS RMMS on scene and handled ems for assault RPD on scene also
4/4/15 5:39	2015008429	321 836 N GOODMAN ST	EMS, possible assault that had happened earlier in evening.
4/8/15 17:39	2015008804	323 836 N GOODMAN ST	EMS, PEDESTRIAN STRUCK. HANDLED BY RURAL METRO.
6/5/15 17:37	2015014522	331 836 N GOODMAN ST	ASSIST WITH A LOCK OUT OF AN AUTOMOBILE WITH A REPORT OF A CHILD INSIDE.
7/27/15 19:51	2015019569	311 836 N GOODMAN ST	AssistRMMS w/ EMS.
8/13/15 19:10	2015021372	321 836 N GOODMAN ST	EMS, assault in front of Family Dollar. R/M and RPD also on location. Patient transported by Amb.

ROCHESTER FIRE DEPARTMENT

RUNS TO

810 - 846 N GOODMAN ST*
EVEN NUMBER ADDRESSES

<u>DATE</u>		<u>SITUATION</u>	<u>ADDRESS</u>	<u>REMARKS</u>
10/1/15 10:53	2015026347	311	836 N GOODMAN ST	EMS assist.
10/11/15 17:18	2015027322	323	836 N GOODMAN ST	ems, bicyclist struck. minor injuries, irondequoit amb. to xport as precaution separate mva occurred as a result of this one, no injuries, placed absorbball on fluid spill
10/21/15 13:34	2015028306	321	836 N GOODMAN ST	E17 responded EMS for a man down. E17 arrived at pt. same item as RM arrived on scene. E17 had no pt. contact. RM released E17.
11/21/15 11:33	2015031189	412	836 N GOODMAN ST	Odor of natural gas near meter, business owner to wait for RG&E
12/11/15 10:41	2015032958	463	836 N GOODMAN ST	MINOR MVA WITHOUT ANY INJURIES.
12/15/15 18:24	2015033365	511	836 N GOODMAN ST	Person locked out of her vehicle. Sulli Tool was used to gain entry. no damage to the vehicle.
12/21/15 11:30	2015033854	131	836 N GOODMAN ST	REPORTED POSSIBLE VEHICLE FIRE. UPON ARRIVAL, THERE WAS FIRE IN THE ENGINE COMPARTMENT OF A MOTOR VEHICLE. THE FIRE WAS EXTINGUISHED USING A 1 3/4 INCH HANDBLINE. FIRE INVESTIGATION WAS REQUESTED FOR AN ORIGIN AND CAUSE INVESTIGATITON. SEE THEIR REPORT FOR ADDITIONAL INFORMATION. THE OWNER OF THE VEHICLE WAS ON SCENE AND STATED THAT THEY WOULD REMOVE THE VEHICLE.
12/21/15 19:34	2015033888	622	836 N GOODMAN ST	Call for fluids leaking from a vehicle. E9 found a vehicle that was involved in a car fire that E9 put out earlier in the day, Arson also responded. Upon our arrival a tow truck was there and was removing the car. No fluid leak problem.
12/24/15 11:00	2015034126	321	836 N GOODMAN ST	Responded for EMS, see PCR for further.
2/4/16 17:03	2016003092	671	836 N GOODMAN ST	A REPORT OF NATURAL GAS IN THE STORE. NO FUMES WERE DETECTED.
2/20/16 15:34	2016004611	311	836 N GOODMAN ST	EMS, reported woman down. Woman sitting on ground somewhat responsive. On location with two R/M ambulances, to handle patient.
3/9/16 19:53	2016006254	323	836 N GOODMAN ST	EMS, person on bicycle that was struck by an RPD car. Person was walking around on arrival, appeared intox, and irate. climbed into back of R/M ambulance. Ambulance to transport. Officer was upset but not injured.
3/18/16 10:40	2016007096	311	836 N GOODMAN ST	EMS. HANDLED BY RURAL METRO AMBULANCE.
4/30/16 17:06	2016010913	321	836 N GOODMAN ST	EMS See PCR for further.
6/9/16 19:36	2016014909	321	836 N GOODMAN ST	EMS
6/27/16 17:30	2016016697	311	836 N GOODMAN ST	EMS. HANDLED BY RURAL METRO AMBULANCE.
7/1/16 18:04	2016017084	311	836 N GOODMAN ST	ems
8/15/16 20:56	2016021592	311	836 N GOODMAN ST	EMS. HANDLED BY RURAL METRO AMBULANCE.
9/1/16 14:11	2016023141	311	836 N GOODMAN ST	EMS. HANDLED BY RURAL METRO AMBULANCE.
9/20/16 19:32	2016025132	311	836 N GOODMAN ST	EMS. HANDLED BY RURAL METRO AMBULANCE.